ELSEVIER

Wear 211 (1997) 317

WEAR

Author Index of Volume 211

Ahlroos, T., 113
Aksoy, M., 265
Anjur, S., 271
Arnell, R.D., 254
Arola, D., 302

Batchelor, A.W., 35
Binfield, M.L., 70
Blanchet, T.A., 247
Bonollo, F., 192

Chandrasekaran, M., 35
Chen, L.H., 169
Chen, Z., 151
Christodoulou, P., 120, 129

Danyluk, S., 311
Dias, A.M., 226
Dicko, A., 203
Ding, C.X., 177
Drotlew, A., 120, 129
Dubar, L., 54
Dubois, A., 54

E, J., 1
Ekberg, A., 280

Field, J.E., 30
Fischer, F.D., 156
Fischer, T.E., 141

Gafitanu, M.D., 22
Gawne, D.T., 1
Gras, R., 226
Grillo, S.E., 30
Gutowski, V., 120
Gutowski, W., 129

Hagiu, G.D., 22
Harris, S.J., 208
Hiver, P., 203
Hou, K., 134
Huang, J.Q., 177

Jiang, J., 254

Kalousek, J., 134
Kaufman, F., 271
Korkut, M.H., 265
Krefetz, S.B., 141
Kuzucu, V., 265
Kwok, C.T., 84

Lazzarotto, L., 54
Leung, L.K., 84
Levert, J., 311
Li, C., 64
Li, J.F., 177
Li, K., 94, 104
Liang, H., 271
Liao, T.W., 94, 104
Liou, J.W., 169
Liu, W., 64
Liu, X., 151
Liu, Y., 164
Lu, J., 9, 15
Lui, T.S., 169

Ma, S., 151
Magel, E., 134
Mai, Y.-W., 147
Man, H.C., 84
McDowell, D.L., 237
McSpadden, Jr. , S.B., 94, 104
Mellor, B.G., 70
Meng, W.-J., 208
Mess, F., 311
Mitsuya, Y., 198
Molinari, A., 192
Moon, K.S., 218

Nobre, J.P., 226
Nonogaki, T., 198

Ohshima, Y., 198
O'Rourke, L.J., 94, 104
Oudin, J., 54
Ouyang, J., 15

Paquer, D., 203

Qi, S., 64

Ramulu, M., 302
Ravassard, P., 54
Saikko, V., 113
Sawyer, W.G., 247
Sevilla, R., 271
Shen, W., 164
Straffelini, G., 192
Su, Y.-T., 185
Sun, Y., 64

Tanaka, H., 44
Tang, X., 164
Terheci, M., 289
Tiziani, A., 192
Tong, J., 254

Wang, S.-Y., 185
Wang, Y., 164, 218
Weiner, A.M., 208
Werner, E., 156
Wood, R.J.K., 70

Xu, B., 151
Xue, Q., 9, 15

Yan, W.-Y., 156
Yang, S., 64

Zhang, B., 164
Zhang, L., 44, 147
Zhang, P.Y., 177
Zhang, Z., 147

Elsevier Science S.A.

ELSEVIER

Wear 211 (1997) 319–323

WEAR

Subject Index of Volume 211

A356 aluminum alloy
  SiO_2 particle erosion of A356.2 aluminum alloy and the related microstructural changes, 169
Abrasion
  tribology of metal-containing diamond-like carbon coatings, 208
Abrasive waterjet
  material removal in abrasive waterjet machining of metals. A residual stress analysis, 302
Abrasive wear
  the influence of strong carbide-forming elements and homogenization on the wear resistance of ferritic stainless steel, 265
Adiabatic shear band
  microstructures of surface white layer and internal white adiabatic shear band, 164
Advanced ceramics
  wear of diamond wheels in creep-feed grinding of ceramic materials. I. Mechanisms, 94
  wear of diamond wheels in creep-feed grinding of ceramic materials. II. Effects on process responses and strength, 104
Alloy steel
  influence of lubrication regime on the sliding wear behaviour of an alloy steel, 1
Al–Si–Mg alloys
  SiO_2 particle erosion of A356.2 aluminum alloy and the related microstructural changes, 169
Alumina
  wear of yttria-doped α-alumina: effects of grain-boundary composition and machine stiffness, 141
Aluminium matrix composite
  influence of matrix hardness on the dry sliding behaviour of 20 vol.% Al_2O_3-particulate-reinforced 6061 Al metal matrix composite, 192
Arc sprayed toolmaking
  study of the tribological behavior of an Ni electron brush plating layer on a base of an Arc sprayed coating, 151
Artificial joint fluid
  wear of prosthetic joint materials in various lubricants, 113
Atomic scale
  towards a deeper understanding of wear and friction on the atomic scale—a molecular dynamics analysis, 44
Austenitic stainless steel
  effect of temperature, pH and sulphide on the cavitation erosion behaviour of super duplex stainless steel, 84
Automatic molding
  SiO_2 particle erosion of A356.2 aluminum alloy and the related microstructural changes, 169

Ball bearing
  dynamic characteristics of high speed angular contact ball bearings, 22
Ball-on-disk
  tribology of metal-containing diamond-like carbon coatings, 208
Boundary lubrication
  wear of prosthetic joint materials in various lubricants, 113
Brittle fracture
  grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289
Butyl rubber
  in situ observation of sliding wear tests of butyl rubber in the presence of lubricants in an X-ray microfocus instrument, 35

Cantilever
  coupling and nonlinear effects of cantilever deflection and torsion encountered when simultaneously measuring vertical and lateral forces using the scanning probe method, 198
Capillarity
  vertical differential displacements at a pad/sapphire interface during polishing, 311
Carbides
  the influence of strong carbide-forming elements and homogenization on the wear resistance of ferritic stainless steel, 265
Carbon
  tribological properties of nitrogen, carbon and titanium ion implanted PET against steel, 64
Cast alloys
  erosion of ferritic Fe–Cr–C cast alloys at elevated temperatures, 120
  the effect of carbon, chromium and silicon content on wear resistance of ferritic Fe–Cr–C cast alloys, 129
Cavitation erosion
  effect of temperature, pH and sulphide on the cavitation erosion behaviour of super duplex stainless steel, 84
CeF_3 compact
  physical and chemical effects of CeF_3 compact in sliding against Hastelloy C in temperatures to 700 °C, 9
  thermal properties and tribological characteristics of CeF_3 compact, 15
Chemical mechanical polishing
  wear phenomena in chemical mechanical polishing, 271
  vertical differential displacements at a pad/sapphire interface during polishing, 311
Coatings
  sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Coatings on soft substrates
  some special tribological features of DLC coatings deposited on soft substrates, 254
Contact temperature
  thermal stresses for frictional contact in wheel–rail systems, 156
Coulomb's friction coefficient
  identification of Coulomb's friction coefficient in real contact conditions applied to a wire drawing process, 54
Coupling deformation
  coupling and nonlinear effects of cantilever deflection and torsion encountered when simultaneously measuring vertical and lateral forces using the scanning probe method, 198
Cr_3C_2–NiCr coating
  wear mechanism of plasma-sprayed Cr_3C_2–NiCr against TiO_2 coating, 177

Elsevier Science S.A.

Crack
microstructures of surface white layer and internal white adiabatic shear band, 164
grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289
Crack propagation
sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Creep feed grinding
wear of diamond wheels in creep-feed grinding of ceramic materials. I. Mechanisms, 94
wear of diamond wheels in creep-feed grinding of ceramic materials. II. Effects on process responses and strength, 104
Cyclic plasticity
an approximate algorithm for elastic–plastic two-dimensional rolling/sliding contact, 237

Damping
dynamic characteristics of high speed angular contact ball bearings, 22
Deflection
coupling and nonlinear effects of cantilever deflection and torsion encountered when simultaneously measuring vertical and lateral forces using the scanning probe method, 198
Degree of crystallization
physical and chemical effects of CeF_3 compact in sliding against Hastelloy C in temperatures to 700 °C, 9
Diamond
investigation of the possibility of electrical wear by sparking in diamond polishing, 30
Diamond–copper
towards a deeper understanding of wear and friction on the atomic scale—a molecular dynamics analysis, 44
Diamond-like carbon
tribology of metal-containing diamond-like carbon coatings, 208
Diamond-like carbon (DLC) coatings
some special tribological features of DLC coatings deposited on soft substrates, 254
Diamond wheels
wear of diamond wheels in creep-feed grinding of ceramic materials. I. Mechanisms, 94
wear of diamond wheels in creep-feed grinding of ceramic materials. II. Effects on process responses and strength, 104
Dynamic hardness
resistance of a ductile steel surface to spherical normal impact indentation: use of a pendulum machine, 226
Dynamic recovery
microstructures of surface white layer and internal white adiabatic shear band, 164

Effects of wheel wear
wear of diamond wheels in creep-feed grinding of ceramic materials. II. Effects on process responses and strength, 104
Elasto-plastic impact
resistance of a ductile steel surface to spherical normal impact indentation: use of a pendulum machine, 226
Equivalent-stress criterion
rolling contact fatigue of railway wheels—a parametric study, 280
Erosion
erosion of ferritic Fe–Cr–C cast alloys at elevated temperatures, 120
the effect of carbon, chromium and silicon content on wear resistance of ferritic Fe–Cr–C cast alloys, 129
material removal in abrasive waterjet machining of metals. A residual stress analysis, 302
Extreme-pressure additives
electron probe microanalysis of monosulfides as extreme-pressure additives, 203

Fatigue
an approximate algorithm for elastic–plastic two-dimensional rolling/sliding contact, 237
Fatigue life prediction
rolling contact fatigue of railway wheels—a parametric study, 280
Fe–Cr–C
erosion of ferritic Fe–Cr–C cast alloys at elevated temperatures, 120
the effect of carbon, chromium and silicon content on wear resistance of ferritic Fe–Cr–C cast alloys, 129
Finite element analysis
identification of Coulomb's friction coefficient in real contact conditions applied to a wire drawing process, 54
Fluid film thickness measurements
vertical differential displacements at a pad/sapphire interface during polishing, 311
Friction
investigation of the possibility of electrical wear by sparking in diamond polishing, 30
Friction force microscopy
coupling and nonlinear effects of cantilever deflection and torsion encountered when simultaneously measuring vertical and lateral forces using the scanning probe method, 198
Friction test
identification of Coulomb's friction coefficient in real contact conditions applied to a wire drawing process, 54

Grain boundaries
wear of yttria-doped α-alumina: effects of grain-boundary composition and machine stiffness, 141
grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289
Grain rearrangement
grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289
Graphite
high temperature lubrication of combined rolling/sliding contacts via directed hydrocarbon gas streams, 247
Grinding process
a methodology for the multi-resolution simulation of grinding wheel surface, 218
Grinding wheel surface
a methodology for the multi-resolution simulation of grinding wheel surface, 218

Hardness
an investigation on machinability of different materials by hydrodynamic polishing process, 185
the influence of strong carbide-forming elements and homogenization on the wear resistance of ferritic stainless steel, 265
High cycle multiaxial fatigue
rolling contact fatigue of railway wheels—a parametric study, 280
High speed
dynamic characteristics of high speed angular contact ball bearings, 22
High stress–strain rates
resistance of a ductile steel surface to spherical normal impact indentation: use of a pendulum machine, 226
High temperature lubrication
high temperature lubrication of combined rolling/sliding contacts via directed hydrocarbon gas streams, 247
Hip joint simulator
wear of prosthetic joint materials in various lubricants, 113
Hydrodynamic polishing process
an investigation on machinability of different materials by hydrodynamic polishing process, 185

Impact wear
microstructures of surface white layer and internal white adiabatic shear band, 164
Impingement angle
sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Interfacial layer
rheological model of solid layer in rolling contact, 134
Ion implantation
tribological properties of nitrogen, carbon and titanium ion implanted PET against steel, 64

Load
wear mechanism of plasma-sprayed Cr_3C_2–NiCr against TiO_2 coating, 177
Lubricant coatings
identification of Coulomb's friction coefficient in real contact conditions applied to a wire drawing process, 54
Lubricating mechanism
thermal properties and tribological characteristics of CeF_3 compact, 15
Lubrication regime
influence of lubrication regime on the sliding wear behaviour of an alloy steel, 1

Machinability
an investigation on machinability of different materials by hydrodynamic polishing process, 185
Machining
material removal in abrasive waterjet machining of metals. A residual stress analysis, 302
Main spindle
dynamic characteristics of high speed angular contact ball bearings, 22
MEB-EDX
electron probe microanalysis of monosulfides as extreme-pressure additives, 203
Mechanism
towards a deeper understanding of wear and friction on the atomic scale—a molecular dynamics analysis, 44
Microstructure
the influence of strong carbide-forming elements and homogenization on the wear resistance of ferritic stainless steel, 265
MMC
influence of matrix hardness on the dry sliding behaviour of 20 vol.% Al_2O_3-particulate-reinforced 6061 Al metal matrix composite, 192
MMC composite
modeling steady wear of steel/Al_2O_3–Al particle reinforced composite system, 147
Modeling
modeling steady wear of steel/Al_2O_3–Al particle reinforced composite system, 147
Molecular dynamics
towards a deeper understanding of wear and friction on the atomic scale—a molecular dynamics analysis, 44
Multi-resolution simulation
a methodology for the multi-resolution simulation of grinding wheel surface, 218

Nano-tribology
wear phenomena in chemical mechanical polishing, 271
Ni electron brush plating layer
study of the tribological behavior of an Ni electron brush plating layer on a base of an Arc sprayed coating, 151
Nitrogen
tribological properties of nitrogen, carbon and titanium ion implanted PET against steel, 64
Nonlinear deformation
coupling and nonlinear effects of cantilever deflection and torsion encountered when simultaneously measuring vertical and lateral forces using the scanning probe method, 198

Oxidation
physical and chemical effects of CeF_3 compact in sliding against Hastelloy C in temperatures to 700 °C, 9
Oxidation wear
rheological model of solid layer in rolling contact, 134

Particle erosion
SiO_2 particle erosion of A356.2 aluminum alloy and the related microstructural changes, 169
Particle kinetic energy
sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Pendulum machine tests
resistance of a ductile steel surface to spherical normal impact indentation: use of a pendulum machine, 226
PET
tribological properties of nitrogen, carbon and titanium ion implanted PET against steel, 64
pH
effect of temperature, pH and sulphide on the cavitation erosion behaviour of super duplex stainless steel, 84
Plasma spraying
wear mechanism of plasma-sprayed Cr_3C_2–NiCr against TiO_2 coating, 177
Plastic deformation
physical and chemical effects of CeF_3 compact in sliding against Hastelloy C in temperatures to 700 °C, 9
modeling steady wear of steel/Al_2O_3–Al particle reinforced composite system, 147
grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289
Polishing
investigation of the possibility of electrical wear by sparking in diamond polishing, 30
vertical differential displacements at a pad/sapphire interface during polishing, 311
Polyethylene
wear of prosthetic joint materials in various lubricants, 113
Preferential orientation
physical and chemical effects of CeF_3 compact in sliding against Hastelloy C in temperatures to 700 °C, 9
Prosthetic joint
wear of prosthetic joint materials in various lubricants, 113

Railway wheels
rolling contact fatigue of railway wheels—a parametric study, 280
Relative antiwear property
study of the tribological behavior of an Ni electron brush plating layer on a base of an Arc sprayed coating, 151
Residual stress
material removal in abrasive waterjet machining of metals. A residual stress analysis, 302
Rigidity
dynamic characteristics of high speed angular contact ball bearings, 22
Rolling/sliding contact
high temperature lubrication of combined rolling/sliding contacts via directed hydrocarbon gas streams, 247
Rolling contact
an approximate algorithm for elastic–plastic two-dimensional rolling/sliding contact, 237
Rolling contact fatigue
rolling contact fatigue of railway wheels—a parametric study, 280

Rubbing pairs
modeling steady wear of steel/Al_2O_3–Al particle reinforced composite system, 147

Sand erosion
sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Selection criteria
the effect of carbon, chromium and silicon content on wear resistance of ferritic Fe–Cr–C cast alloys, 129
Silicon
vertical differential displacements at a pad/sapphire interface during polishing, 311
SiO_2 sand erosion
SiO_2 particle erosion of A356.2 aluminum alloy and the related microstructural changes, 169
Sliding
towards a deeper understanding of wear and friction on the atomic scale—a molecular dynamics analysis, 44
Sliding contact
thermal stresses for frictional contact in wheel–rail systems, 156
Sliding speed
wear mechanism of plasma-sprayed Cr_3C_2–NiCr against TiO_2 coating, 177
Sliding wear
influence of lubrication regime on the sliding wear behaviour of an alloy steel, 1
in situ observation of sliding wear tests of butyl rubber in the presence of lubricants in an X-ray microfocus instrument, 35
influence of matrix hardness on the dry sliding behaviour of 20 vol.% Al_2O_3-particulate-reinforced 6061 Al metal matrix composite, 192
Solid lubrication
rheological model of solid layer in rolling contact, 134
high temperature lubrication of combined rolling/sliding contacts via directed hydrocarbon gas streams, 247
Spherical normal impact indentation
resistance of a ductile steel surface to spherical normal impact indentation: use of a pendulum machine, 226
Sprayed tungsten carbide/cobalt–chromium
sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Stainless steel
the influence of strong carbide-forming elements and homogenization on the wear resistance of ferritic stainless steel, 265
Steady wear
modeling steady wear of steel/Al_2O_3–Al particle reinforced composite system, 147
Subgrain
microstructures of surface white layer and internal white adiabatic shear band, 164
Subsurface stresses
an approximate algorithm for elastic–plastic two-dimensional rolling/sliding contact, 237
Sulphide
effect of temperature, pH and sulphide on the cavitation erosion behaviour of super duplex stainless steel, 84
Super duplex stainless steel
effect of temperature, pH and sulphide on the cavitation erosion behaviour of super duplex stainless steel, 84
Surface analysis
electron probe microanalysis of monosulfides as extreme-pressure additives, 203
Surface behaviour
identification of Coulomb's friction coefficient in real contact conditions applied to a wire drawing process, 54
Surface energy
an investigation on machinability of different materials by hydrodynamic polishing process, 185
Surface fatigue
grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289

Temperature
effect of temperature, pH and sulphide on the cavitation erosion behaviour of super duplex stainless steel, 84
Thermoelastic stress state
thermal stresses for frictional contact in wheel–rail systems, 156
Third body
rheological model of solid layer in rolling contact, 134
Titanium
tribological properties of nitrogen, carbon and titanium ion implanted PET against steel, 64
Torsion
coupling and nonlinear effects of cantilever deflection and torsion encountered when simultaneously measuring vertical and lateral forces using the scanning probe method, 198
Toughness
the influence of strong carbide-forming elements and homogenization on the wear resistance of ferritic stainless steel, 265
Traction
high temperature lubrication of combined rolling/sliding contacts via directed hydrocarbon gas streams, 247
Tribological behaviour of coatings
some special tribological features of DLC coatings deposited on soft substrates, 254
Tribological characteristic
thermal properties and tribological characteristics of CeF_3 compact, 15
Tribological performance
sand erosion performance of detonation gun applied tungsten carbide/cobalt–chromium coatings, 70
Tribology
some special tribological features of DLC coatings deposited on soft substrates, 254

Unsymmetrical monosulfides
electron probe microanalysis of monosulfides as extreme-pressure additives, 203

Vapor phase lubrication
high temperature lubrication of combined rolling/sliding contacts via directed hydrocarbon gas streams, 247
Vibrations
wear of yttria-doped α-alumina: effects of grain-boundary composition and machine stiffness, 141

Wear
grain boundary and testing procedure: a new approach to the tribology of alumina materials, 289
Wear mechanism
wear of diamond wheels in creep-feed grinding of ceramic materials. I. Mechanisms, 94
study of the tribological behavior of an Ni electron brush plating layer on a base of an Arc sprayed coating, 151
wear mechanism of plasma-sprayed Cr_3C_2–NiCr against TiO_2 coating, 177
Wear resistance
the effect of carbon, chromium and silicon content on wear resistance of ferritic Fe–Cr–C cast alloys, 129
Wheel–rail system
thermal stresses for frictional contact in wheel–rail systems, 156

White layer
microstructures of surface white layer and internal white adiabatic shear band, 164
Wire drawing
identification of Coulomb's friction coefficient in real contact conditions applied to a wire drawing process, 54
XPS analysis
tribological properties of nitrogen, carbon and titanium ion implanted PET against steel, 64
X-ray microfocus instrument
in situ observation of sliding wear tests of butyl rubber in the presence of lubricants in an X-ray microfocus instrument, 35